


HE 1



APPENDIX A

OMB Approval Number: 2050-0095  
Approved for Use Through: 1/92

# PA Scoresheets

Old HRS

Pre. Score 25.92 ✓  
SGW - 44.84 ✓  
SSW - 0.00 ✓  
SAIR - 0.00 ✓  
SSOL - N/A ✓

Site Name: Aetna Chemical Corp.

Investigator: Gina Ferreira

CERCLIS ID No.: NJD001471374

Agency/Organization: U.S. E.P.A.

Street Address: Wallace Street

Street Address: 26 Federal Plaza

City/State/Zip: Elmwood Park

City/State/Zip: N.Y. N.Y. 10278

Bergen County  
New Jersey 07407

Date: Oct. 15, 1991

## INSTRUCTIONS FOR SCORESHEETS

### Introduction

This scoresheets package functions as a self-contained workbook providing all of the basic tools to apply collected data and calculate a PA score. Note that a computerized scoring tool, "PA-Score," is also available from EPA (Office of Solid Waste and Emergency Response, Directive 9345.1-11). The scoresheets provide space to:

- Record information collected during the PA
- Indicate references to support information
- Select and assign values ("scores") for factors
- Calculate pathway scores
- Calculate the site score

Do not enter values or scores in shaded areas of the scoresheets. You are encouraged to write notes on the scoresheets and especially on the Criteria Lists. On scoresheets with a reference column, indicate a number corresponding to attached sources of information or pages containing rationale for hypotheses; attach to the scoresheets a numbered list of these references. Evaluate all four pathways. Complete all Criteria Lists, scoresheets, and tables. Show calculations, as appropriate. If scoresheets are photocopy reproduced, copy and submit the numbered pages (right-side pages) only.

### GENERAL INFORMATION

**Site Description and Operational History:** Briefly describe the site and its operating history. Provide the site name, owner/operator, type of facility and operations, size of property, active or inactive status, and years of waste generation. Summarize waste treatment, storage, or disposal activities that have or may have occurred at the site; note also if these activities are documented or alleged. Identify probable source types and prior spills. Summarize highlights of previous investigations.

**Probable Substances of Concern:** List hazardous substances that have or may have been stored, handled, or disposed at the site, based on your knowledge of site operations. Identify the sources to which the substances may be related. Summarize any existing analytical data concerning hazardous substances detected onsite, in releases from the site, or at targets.

## GENERAL INFORMATION

### Site Description and Operational History:

Aetna Chemical is a 2.6-acre site in Elmwood Park, Bergen County, N.J. The site is in an industrial area. The property was vacant prior to Aetna's purchase. The facility is active. It is a distributor for producers of heavy and fine chemicals. At the site, chemicals are stored, blended, repackaged, and distributed. Products sold include acetone, chloroform, formaldehyde, hydrochloric acid, xylene, toluene. Materials are stored in elevated aboveground storage tanks then transferred via overhead pipes into 55 gallon drums or sold in 5,000 gallon bulk quantities. Ten elevated aboveground tanks on site range in size from 6,000 to 25,000 gallons. Four of the tanks are within an unpaved dike area; the remainder have no containment system.

### Probable Substances of Concern:

(Previous investigations, analytical data)

- 1983-Spill evidence was observed in soil areas around the tank farm. Could potentially contaminate the soil, groundwater, and surface H<sub>2</sub>O runoff.
- 1990- Soil samples revealed lead, barium, cadmium, mercury, zinc above NJDEP Action Levels. Contaminants also included 1,1,1-trichloroethane, toluene, xylene, naphthalene,


## **GENERAL INFORMATION (continued)**

**Site Sketch:** Prepare a sketch of the site (freehand is acceptable). Indicate all pertinent features of the site and nearby environs, including: waste sources, buildings, residences, access roads, parking areas, drainage patterns, water bodies, vegetation, wells, sensitive environments, etc.

## GENERAL INFORMATION (continued)

## Site Sketch:

(Show all pertinent features, indicate sources and closest targets, indicate north)



## SOURCE EVALUATION

- Number and name each source (e.g., 1. East Drum Storage Area, 2. Sludge Lagoon, 3. Battery Pile).
- Identify source type according to the list below.
- Describe the physical character of each source (e.g., dimensions, contents, waste types, containment, operating history).
- Show waste quantity (WQ) calculations for each source for appropriate tiers. Refer to instructions opposite page 5 and PA Tables 1a and 1b. Identify waste quantity tier and waste characteristics (WC) factor category score (for a site with a single source, according to PA Table 1a). Determine WC from PA Table 1b for the sum of source WQs for a multiple-source site.
- Attach additional sheets if necessary.
- Determine the site WC factor category score and record at the bottom of the page.

### Source Type Descriptions

**Landfill:** an engineered (by excavation or construction) or natural hole in the ground into which wastes have been disposed by backfilling, or by contemporaneous soil deposition with waste disposal, covering wastes from view.

**Surface Impoundment:** a topographic depression, excavation, or diked area, primarily formed from earthen materials (lined or unlined) and designed to hold accumulated liquid wastes, wastes containing free liquids, or sludges that were not backfilled or otherwise covered during periods of deposition; depression may be dry if deposited liquid has evaporated, volatilized or leached, or wet with exposed liquid; structures that may be more specifically described as lagoon pond, aeration pit, settling pond, tailings pond, sludge pit, etc.; also a surface impoundment that has been covered with soil after the final deposition of waste materials (i.e., buried or backfilled).

**Drums:** portable containers designed to hold a standard 55-gallon volume of wastes.

**Tanks and Non-Drum Containers:** any stationary device, designed to contain accumulated wastes, constructed primarily of fabricated materials (such as wood, concrete, steel, or plastic) that provide structural support; any portable or mobile device in which waste is stored or otherwise handled.

**Contaminated Soil:** soil onto which available evidence indicates that a hazardous substance was spilled, spread, disposed, or deposited.

**Pile:** any non-containerized accumulation above the ground surface of solid, non-flowing wastes; includes open dumps. Some types of piles are: Chemical Waste Pile -- consists primarily of discarded chemical products, by-products, radioactive wastes, or used or unused feedstocks; Scrap Metal or Junk Pile -- consists primarily of scrap metal or discarded durable goods such as appliances, automobiles, auto parts, or batteries, composed of materials suspected to contain or have contained a hazardous substance; Tailings Pile -- consists primarily of any combination of overburden from a mining operation and tailings from a mineral mining, beneficiation, or processing operation; Trash Pile -- consists primarily of paper, garbage, or discarded non-durable goods which are suspected to contain or have contained a hazardous substance.

**Land Treatment:** landfarming or other land treatment method of waste management in which liquid wastes or sludges are spread over land and tilled, or liquids are injected at shallow depths into soils.

**Other:** a source that does not fit any of the descriptions above; examples include contaminated building, ground water plume with no identifiable source, storm drain, dry well, and injection well.



## WASTE CHARACTERISTICS (WC) SCORES

WC, based on waste quantity, may be determined by one or all of four measures called "tiers": constituent quantity, wastestream quantity, source volume, and source area. PA Table 1a (page 5) is divided into these four tiers. The amount and detail of information available determine which tier(s) to use for each source. For each source, evaluate waste quantity by as many of the tiers as you have information to support, and select the result that gives you the highest WC score. If minimal, incomplete, or no information is available regarding waste quantity, assign a WC score of 18 (minimum).

PA Table 1a has 6 columns: column 1 indicates the quantity tier; column 2 lists source types for the four tiers; columns 3, 4, and 5 provide ranges of waste amount for sites with only one source, which correspond to WC scores at the top of the columns (18, 32, or 100); column 6 provides formulas to obtain source waste quantity (WQ) values at sites with multiple sources.

### *To determine WC for sites with only one source:*

1. *Identify source type (see descriptions opposite page 4).*
2. *Examine all waste quantity data available.*
3. *Estimate the mass and/or dimensions of the source.*
4. *Determine which quantity tiers to use based on available source information.*
5. *Convert source measurements to appropriate units for each tier you can evaluate for the source.*
6. *Identify the range into which the total quantity falls for each tier evaluated (PA Table 1a).*
7. *Determine the highest WC score obtained for any tier (18, 32, or 100, at top of PA Table 1a columns 3, 4, and 5, respectively).*
8. *Use this WC score for all pathways.\**

### *To determine WC for sites with multiple sources:*

1. *Identify each source type (see descriptions opposite page 4).*
2. *Examine all waste quantity data available for each source.*
3. *Estimate the mass and/or dimensions of each source.*
4. *Determine which quantity tiers to use for each source based on the available information.*
5. *Convert source measurements to appropriate units for each tier you can evaluate for each source.*
6. *For each source, use the formulas in column 6 of PA Table 1a to determine the WQ value for each tier that can be evaluated. The highest WQ value obtained for any tier is the WQ value for the source.*
7. *Sum the WQ values for all sources to get the site WQ total.*
8. *Use the site WQ total from step 7 to assign the WC score from PA Table 1b.*
9. *Use this WC score for all pathways.\**

---

\* The WC score is considered in all four pathways. However, if a primary target is identified for the ground water, surface water, or air migration pathway, assign the determined WC or a score of 32, whichever is greater, as the WC score for that pathway.



PA TABLE 1: WASTE CHARACTERISTICS (WC) SCORES

PA Table 1a: WC Scores for Single Source Sites and Formulas for Multiple Source Sites

TIER	SOURCE TYPE	SINGLE SOURCE SITES (assigned WC scores)			MULTIPLE SOURCE SITES
		WC = 18	WC = 32	WC = 100	
CONSTITUENT	N/A	≤ 100 lb	> 100 to 10,000 lb	> 10,000 lb	lb + 1
WATERSTREAM	N/A	≤ 500,000 lb	> 500,000 to 50 million lb	> 50 million lb	lb + 5,000
VOLUME	Landfill	≤ 6.75 million ft <sup>3</sup> ≤ 250,000 yd <sup>3</sup>	> 6.75 million to 675 million ft <sup>3</sup> > 250,000 to 25 million yd <sup>3</sup>	> 675 million ft <sup>3</sup> > 25 million yd <sup>3</sup>	ft <sup>3</sup> + 67,500 yd <sup>3</sup> + 2,500
	Surface impoundment	≤ 6,750 ft <sup>3</sup> ≤ 250 yd <sup>3</sup>	> 6,750 to 675,000 ft <sup>3</sup> > 250 to 25,000 yd <sup>3</sup>	> 675,000 ft <sup>3</sup> > 25,000 yd <sup>3</sup>	ft <sup>3</sup> + 67.5 yd <sup>3</sup> + 2.5
	Drums	≤ 1,000 drums	> 1,000 to 100,000 drums	> 100,000 drums	drums + 10
	Tanks and non-drum containers	≤ 50,000 gallons	> 50,000 to 5 million gallons	> 5 million gallons	gallons + 500
	Contaminated soil	≤ 6.75 million ft <sup>3</sup> ≤ 250,000 yd <sup>3</sup>	> 6.75 million to 675 million ft <sup>3</sup> > 250,000 to 25 million yd <sup>3</sup>	> 675 million ft <sup>3</sup> > 25 million yd <sup>3</sup>	ft <sup>3</sup> + 67,500 yd <sup>3</sup> + 2,500
	Pile	≤ 6,750 ft <sup>3</sup> ≤ 250 yd <sup>3</sup>	> 6,750 to 675,000 ft <sup>3</sup> > 250 to 25,000 yd <sup>3</sup>	> 675,000 ft <sup>3</sup> > 25,000 yd <sup>3</sup>	ft <sup>3</sup> + 67.5 yd <sup>3</sup> + 2.5
AREA	Other	≤ 6,750 ft <sup>3</sup> ≤ 250 yd <sup>3</sup>	> 6,750 to 675,000 ft <sup>3</sup> > 250 to 25,000 yd <sup>3</sup>	> 675,000 ft <sup>3</sup> > 25,000 yd <sup>3</sup>	ft <sup>3</sup> + 67.5 yd <sup>3</sup> + 2.5
	Landfill	≤ 340,000 ft <sup>2</sup> ≤ 7.8 acres	> 340,000 to 34 million ft <sup>2</sup> > 7.8 to 780 acres	> 34 million ft <sup>2</sup> > 780 acres	ft <sup>2</sup> + 3,400 acres + 0.078
	Surface impoundment	≤ 1,300 ft <sup>2</sup> ≤ 0.029 acres	> 1,300 to 130,000 ft <sup>2</sup> > 0.029 to 2.9 acres	> 130,000 ft <sup>2</sup> > 2.9 acres	ft <sup>2</sup> + 13 acres + 0.00029
	Contaminated soil	≤ 3.4 million ft <sup>2</sup> ≤ 78 acres	> 3.4 million to 340 million ft <sup>2</sup> > 78 to 7,800 acres	> 340 million ft <sup>2</sup> > 7,800 acres	ft <sup>2</sup> + 34,000 acres + 0.78
	Pile*	≤ 1,300 ft <sup>2</sup> ≤ 0.029 acres	> 1,300 to 130,000 ft <sup>2</sup> > 0.029 to 2.9 acres	> 130,000 ft <sup>2</sup> > 2.9 acres	ft <sup>2</sup> + 13 acres + 0.00029
	Land treatment	≤ 27,000 ft <sup>2</sup> ≤ 0.62 acres	> 27,000 to 2.7 million ft <sup>2</sup> > 0.62 to 62 acres	> 2.7 million ft <sup>2</sup> > 62 acres	ft <sup>2</sup> + 270 acres + 0.0062

1 ton = 2,000 lb = 1 yd<sup>3</sup> = 4 drums = 200 gallons

\* Use area of land surface under pile, not surface area of pile.

PA Table 1b: WC Scores for Multiple Source Sites

WQ Total	WC Score
> 0 to 100	18
> 100 to 10,000	32
> 10,000	100

## GROUND WATER PATHWAY

**Ground Water Use Description:** Provide information on ground water use in the vicinity. Present the general stratigraphy, aquifers used, and distribution of private and municipal wells.

**Calculations for Drinking Water Populations Served by Ground Water:** Provide populations from private wells and municipal supply systems in each distance category. Show apportionment calculations for blended supply systems.

**GROUND WATER PATHWAY  
GROUND WATER USE DESCRIPTION**

**Describe Ground Water Use Within 4-miles of the Site:**

(Describe stratigraphy, information on aquifers, municipal and/or private wells)

Up to 25 feet of unconsolidated deposits consisting of silts, sands, and glacial till underlie the site. Beneath this is the Brunswick Formation (sandstones and shales). Groundwater at the site may be as shallow as 4 feet below the land surface. Shallow groundwater flow is generally toward the north and northwest. Discharge of shallow groundwater is through vertical leakage to the Brunswick Formation. This formation is used as a public potable and industrial water supply. In 1989, the Garfield Dept. of Public Works closed all its public supply wells due to volatile organic contamination. One of these wellfields is located 0.8 mile (~4200 feet) northwest of Aetna.

**Calculations for Drinking Water Populations Served by Ground Water:**

Fair Lawn Borough

Lodi Borough

Wallington Borough

Ridgewood Village

Hackensack

Public supply systems within 4 miles of site.  
Serve ~145,000 people

All wells screened in Brunswick Formation and are 300 to 600 feet deep.

Industrial and private potable wells within 4 miles. The number and quantity of people served is unknown but can be estimated from GEMAS Data.

## GROUND WATER PATHWAY CRITERIA LIST

This "Criteria List" helps guide the process of developing hypotheses concerning the occurrence of a suspected release and the exposure of specific targets to a hazardous substance. The check-boxes record your professional judgment in evaluating these factors. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypotheses, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several site, source, and pathway conditions that could provide insight as to whether a release from the site is likely to have occurred. If a release is suspected, use the "Primary Targets" section to evaluate conditions that may help identify targets likely to be exposed to a hazardous substance. Record responses for the well that you feel has the highest probability of being exposed to a hazardous substance. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary."

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

## GROUND WATER PATHWAY CRITERIA LIST

SUSPECTED RELEASE	PRIMARY TARGETS
<p>Y N U e o n s k</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Are sources poorly contained?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is the source a type likely to contribute to ground water contamination (e.g., wet lagoon)?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is waste quantity particularly large?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is precipitation heavy?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is the infiltration rate high?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is the site located in an area of karst terrain?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is the subsurface highly permeable or conductive?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is drinking water drawn from a shallow aquifer?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Are suspected contaminants highly mobile in ground water?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Does analytical or circumstantial evidence suggest ground water contamination?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? _____</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> SUSPECTED RELEASE?</p>	<p>Y N U e o n s k</p> <p><input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Is any drinking water well nearby?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Has any nearby drinking water well been closed?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Has any nearby drinking water user reported foul-tasting or foul-smelling water?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Does any nearby well have a large drawdown or high production rate?</p> <p><input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Is any drinking water well located between the site and other wells that are suspected to be exposed to a hazardous substance?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Does analytical or circumstantial evidence suggest contamination at a drinking water well?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Does any drinking water well warrant sampling?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? _____</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> PRIMARY TARGET(S) IDENTIFIED?</p>
<p>Summarize the rationale for Suspected Release (attach an additional page if necessary):</p> <p>A release is suspected because heavy metals and volatile organics were found in soil and sediment samples from the site. The groundwater at the site may be as shallow as 4 feet below the surface. Public supply wells ~4200 feet away (NW) have been closed due to volatile organic contamination. Shallow groundwater flow is toward the west + northwest. The closed wells contained similar compounds as those found in the soil samples on site. Aetna could potentially be a responsible party to the contamination of the Garfield wells.</p>	<p>Summarize the rationale for Primary Targets (attach an additional page if necessary):</p> <p>Primary targets for a hazardous release to groundwater are private water wells closest to the site. Wells to the northwest and west are particularly susceptible. Actual numbers of people served by these public wells is unknown but can be estimated. House count indicates 4 homes with 15 people.</p>

## GROUND WATER PATHWAY SCORESHEET

### Pathway Characteristics

Answer the questions at the top of the page. Refer to the Ground Water Pathway Criteria List (page 7) to hypothesize whether you suspect that a hazardous substance associated with the site has been released to ground water. Record depth to aquifer (in feet): the difference between the deepest occurrence of a hazardous substance and the depth of the top of the shallowest aquifer at (or as near as possible) to the site. Note whether the site is in karst terrain (characterized by abrupt ridges, sink holes, caverns, springs, disappearing streams). Record the distance (in feet) from any source to the nearest well used for drinking water.

### Likelihood of Release (LR)

1. **Suspected Release:** Hypothesize based on professional judgment guided by the Ground Water Pathway Criteria List (page 7). If you suspect a release to ground water, use only Column A for this pathway and do not evaluate factor 2.

2. **No Suspected Release:** If you do not suspect a release, determine score based on depth to aquifer or whether the site is in an area of karst terrain. If you do not suspect a release to ground water, use only Column B to score this pathway.

### Targets (T)

This factor category evaluates the threat to populations obtaining drinking water from ground water. To apportion populations served by blended drinking water supply systems, determine the percentage of population served by each well based on its production.

3. **Primary Target Population:** Evaluate populations served by all drinking water wells that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Ground Water Pathway Criteria List (page 7) to make this determination. In the space provided, enter the population served by any wells you suspect have been exposed to a hazardous substance from the site. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine population served. Multiply the population by 10 to determine the Primary Target Population score. Note that if you do not suspect a release, there can be no primary target population.

4. **Secondary Target Population:** Evaluate populations served by all drinking water wells within 4 miles that you do not suspect have been exposed to a hazardous substance. Use PA Table 2a or 2b (for wells drawing from non-karst and karst aquifers, respectfully) (page 9). If only the number of residences is known, use the average county residents per household (rounded to the nearest integer) to determine population served. Circle the assigned value for the population in each distance category and enter it in the column on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.

5. **Nearest Well** represents the threat posed to the drinking water well that is most likely to be exposed to a hazardous substance. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 2a or 2b for the closest distance category with a drinking water well population.

6. **Wellhead Protection Area (WHPA):** WHPAs are special areas designated by States for protection under Section 1428 of the Safe Drinking Water Act. Local/State and EPA Regional water officials can provide information regarding the location of WHPAs.

7. **Resources:** A score of 5 can generally be assigned as a default measure. Assign zero only if ground water within 4 miles has no resource use.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

### Waste Characteristics (WC)

8. **Waste Characteristics:** Score is assigned from page 4. However, if you have identified any primary target for ground water, assign either the score calculated on page 4 or a score of 32, whichever is greater.

**Ground Water Pathway Score:** Multiply the scores for LR, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

## GROUND WATER PATHWAY SCORESHEET

Pathway Characteristics	
Do you suspect a release (see Ground Water Pathway Criteria List, page 7)?	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>
Is the site located in karst terrain?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Depth to aquifer:	4 ft
Distance to the nearest drinking water well:	400 ft

## LIKELIHOOD OF RELEASE

- SUSPECTED RELEASE:** If you suspect a release to ground water (see page 7), assign a score of 550. Use only column A for this pathway.
- NO SUSPECTED RELEASE:** If you do not suspect a release to ground water, and the site is in karst terrain or the depth to aquifer is 70 feet or less, assign a score of 500; otherwise, assign a score of 340. Use only column B for this pathway.

	A	B	References
	Suspected Release (550)	No Suspected Release (500 or 340)	
1. SUSPECTED RELEASE: If you suspect a release to ground water (see page 7), assign a score of 550. Use only column A for this pathway.	550		
2. NO SUSPECTED RELEASE: If you do not suspect a release to ground water, and the site is in karst terrain or the depth to aquifer is 70 feet or less, assign a score of 500; otherwise, assign a score of 340. Use only column B for this pathway.			
LR =	550		

## TARGETS

- PRIMARY TARGET POPULATION:** Determine the number of people served by drinking water wells that you suspect have been exposed to a hazardous substance from the site (see Ground Water Pathway Criteria List, page 7).  
15 people x 10 = 150
- SECONDARY TARGET POPULATION:** Determine the number of people served by drinking water wells that you do NOT suspect have been exposed to a hazardous substance from the site, and assign the total population score from PA Table 2.  
Are any wells part of a blended system? Yes ☐ No ☒  
If yes, attach a page to show apportionment calculations.
- NEAREST WELL:** If you have identified a primary target population for ground water, assign a score of 50; otherwise, assign the Nearest Well score from PA Table 2. If no drinking water wells exist within 4 miles, assign a score of zero.
- WELLHEAD PROTECTION AREA (WHPA):** If any source lies within or above a WHPA, or if you have identified any primary target well within a WHPA, assign a score of 20; assign 5 if neither condition holds but a WHPA is present within 4 miles; otherwise assign zero.
- RESOURCES**

T = 5146

## WASTE CHARACTERISTICS

- A. If you have identified any primary target for ground water, assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.**
- B. If you have NOT identified any primary target for ground water, assign the waste characteristics score calculated on page 4.**

WC =

## GROUND WATER PATHWAY SCORE:

LR x T x WC

82,500

$$550 \times 5146 \times 32$$

$$82500$$

(subject to a maximum of 100)

100

PA TABLE 2: VALUES FOR SECONDARY GROUND WATER TARGET POPULATIONS

PA Table 2a: Non-Karst Aquifers

Distance from Site	Population	Nearest Well (choose highest)	Population Served by Wells Within Distance Category										Population Value
			1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	Greater than 100,000	
0 to ¼ mile	440	20	1	2	5	16	52	163	521	1,633	5,214	16,325	52
> ¼ to ½ mile	0	18	1	1	3	10	32	101	323	1,012	3,233	10,121	—
> ½ to 1 mile	16406	9	1	1	2	5	17	52	167	522	1,668	5,224	522
> 1 to 2 miles	74267	5	1	1	1	3	9	29	94	294	939	2,938	939
> 2 to 3 miles	170826	3	1	1	1	2	7	21	68	212	678	2,122	2,122
> 3 to 4 miles	165775	2	1	1	1	1	4	13	42	131	417	1,306	1,306
Nearest Well =			Score =										4941

PA Table 2b: Karst Aquifers

Distance from Site	Population	Nearest Well (use 20 for karst)	Population Served by Wells Within Distance Category										Population Value
			1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	Greater than 100,000	
0 to ¼ mile	_____	20	1	2	5	16	52	163	521	1,633	5,214	16,325	_____
> ¼ to ½ mile	_____	20	1	1	3	10	32	101	323	1,012	3,233	10,121	_____
> ½ to 1 mile	_____	20	1	1	3	8	26	82	261	816	2,607	8,162	_____
> 1 to 2 miles	_____	20	1	1	3	8	26	82	261	816	2,607	8,162	_____
> 2 to 3 miles	_____	20	1	1	3	8	26	82	261	816	2,607	8,162	_____
> 3 to 4 miles	_____	20	1	1	3	8	26	82	261	816	2,607	8,162	_____
Nearest Well =			Score =										




## **SURFACE WATER PATHWAY**

**Migration Route Sketch:** Sketch the surface water migration pathway (freehand is acceptable) illustrating the drainage route and identifying water bodies, probable point of entry, flows, and targets.

# **SURFACE WATER PATHWAY MIGRATION ROUTE SKETCH**

## **Surface Water Migration Route Sketch:**

(include runoff route, probable point of entry, 15-mile target distance limit, intakes, fisheries, and sensitive environments)



No downslope surface water bodies to which contaminants from the site can migrate are present within 4 miles of site.  
A drainage ditch runs along part of the property boundary but it stops on the north side of the property.

## **SURFACE WATER PATHWAY CRITERIA LIST**

This "Criteria List" helps guide the process of developing hypotheses concerning the occurrence of a suspected release and the exposure of specific targets to a hazardous substance. The check-boxes record your professional judgment in evaluating these factors. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypotheses, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several site, source, and pathway conditions that could provide insight as to whether a release from the site is likely to have occurred. If a release is suspected, use the "Primary Targets" section to guide you through evaluation of some conditions that may help identify targets likely to be exposed to a hazardous substance. Record responses for the target that you feel has the highest probability of being exposed to a hazardous substance. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary."

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

If the distance to surface water is greater than 2 miles, do not evaluate the surface water migration pathway. Document the source of information in the text boxes below the surface water criteria list.

SURFACE WATER PATHWAY CRITERIA LIST	
SUSPECTED RELEASE	PRIMARY TARGETS
<p>Y N U e o n s k</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is surface water nearby?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is waste quantity particularly large?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is the drainage area large?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is rainfall heavy?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is the infiltration rate low?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Are sources poorly contained or prone to runoff or flooding?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is a runoff route well defined (e.g., ditch or channel leading to surface water)?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is vegetation stressed along the probable runoff route?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Are sediments or water unnaturally discolored?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is wildlife unnaturally absent?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Has deposition of waste into surface water been observed?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Is ground water discharge to surface water likely?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Does analytical or circumstantial evidence suggest surface water contamination?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? _____</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> SUSPECTED RELEASE?</p>	<p>Y N U e o n s k</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is any target nearby? If yes:</p> <p><input type="checkbox"/> Drinking water intake</p> <p><input type="checkbox"/> Fishery</p> <p><input type="checkbox"/> Sensitive environment</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Has any intake, fishery, or recreational area been closed?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Does analytical or circumstantial evidence suggest surface water contamination at or downstream of a target?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Does any target warrant sampling? If yes:</p> <p><input type="checkbox"/> Drinking water intake</p> <p><input type="checkbox"/> Fishery</p> <p><input type="checkbox"/> Sensitive environment</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? _____</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> PRIMARY INTAKE(S) IDENTIFIED?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> PRIMARY FISHERY(IES) IDENTIFIED?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> PRIMARY SENSITIVE ENVIRONMENT(S) IDENTIFIED?</p>
<p>Summarize the rationale for Suspected Release (attach an additional page if necessary):</p> <p>A release to surface water is not suspected because there are no downslope surface water bodies within 4 miles of the site. If runoff occurs, it would probably be intercepted by sewer or storm drains.</p>	<p>Summarize the rationale for Primary Targets (attach an additional page if necessary):</p> <p>Primary targets are not identified because a release to surface water is not suspected. A secondary fishery is identified as the Saddle River.</p>

## SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET

### Pathway Characteristics

The surface water pathway includes three threats: Drinking Water Threat, Human Food Chain Threat, and Environmental Threat. Answer the questions at the top of the page. Refer to the Surface Water Pathway Criteria List (page 11) to hypothesize whether you suspect that a hazardous substance associated with the site has been released to surface water. Record the distance to surface water (the shortest overland drainage distance from a source to a surface water body). Record the flood frequency at the site (e.g., 100-yr, 200-yr). If the site is located in more than one floodplain, use the most frequent flooding event. Identify surface water use(s) along the surface water migration path and their distance(s) from the site.

### Likelihood of Release (LR)

**1. Suspected Release:** Hypothesize based on professional judgment guided by the Surface Water Pathway Criteria List (page 11). If you suspect a release to surface water, use only Column A for this pathway and do not evaluate factor 2.

**2. No Suspected Release:** If you do not suspect a release, determine score based on the shortest overland drainage distance from a source to a surface water body. If distance to surface water is 2,500 feet or less, assign a score of 500. If distance to surface water is greater than 2,500 feet, determine score based on flood frequency. If you do not suspect a release to surface water, use only Column B to score this pathway.

### Drinking Water Threat Targets (T)

**3.** List all drinking water intakes on downstream surface water bodies along the surface water migration path. Record the intake name, the type of water body on which the intake is located, the flow of the water body, and the number of people served by the intake (apportion the population if part of a blended system).

**4. Primary Target Population:** Evaluate populations served by all drinking water intakes that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. In the space provided, enter the population served by all intakes you suspect have been exposed to a hazardous substance from the site. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine population served. Multiply by 10 to determine the Primary Target Population score. Remember, if you do not suspect a release, there can be no primary target population.

**5. Secondary Target Population:** Evaluate populations served by all drinking water intakes within the target distance limit that you do not suspect have been exposed to a hazardous substance. Use PA Table 3 (page 13) and enter the population served by intakes for each flow category. If only the number of residences is known, use the average county residents per household (rounded to the nearest integer) to determine population served. Circle the assigned value for the population in each flow category and enter it in the column on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.

Gauging station data for many surface water bodies are available from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that the flow category "mixing zone of quiet flowing rivers" is limited to 3 miles from the probable point of entry.

**6. Nearest Intake** represents the threat posed to the drinking water intake that is most likely to be exposed to a hazardous substance. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 3 (page 13) for the lowest-flowing water body on which there is an intake.

**7. Resources:** A score of 5 can generally be assigned as a default measure. Assign zero only if surface water within the target distance limit has no resource use.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

# **SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET**

Pathway Characteristics	
Do you suspect a release (see Surface Water Pathway Criteria List, page 11)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Distance to surface water:	<u>4 miles</u> <sup>54</sup> yrs
Flood frequency:	
What is the downstream distance to the nearest drinking water intake?	<u>&gt;15</u> miles
Nearest fishery?	<u>2</u> miles
Nearest sensitive environment?	<u>      </u> miles

## **LIKELIHOOD OF RELEASE**

- SUSPECTED RELEASE:** If you suspect a release to surface water (see page 11), assign a score of 550. Use only column A for this pathway.
- NO SUSPECTED RELEASE:** If you do not suspect a release to surface water, use the table below to assign a score based on distance to surface water and flood frequency. Use only column B for this pathway.

Distance to surface water $\leq$ 2,500 feet	500
Distance to surface water > 2,500 feet, and	
Site in annual or 10-year floodplain	500
Site in 100-year floodplain	400
Site in 500-year floodplain	300
Site outside 500-year floodplain	100

A Suspected Release	B No Suspected Release
550	100, 400, 300 = 100
	400
550	100, 400, 300 = 100
	400

References

LR =

## **DRINKING WATER THREAT TARGETS**

- Record the water body type, flow (if applicable), and number of people served by each drinking water intake within the target distance limit. If there is no drinking water intake within the target distance limit, factors 4, 5, and 6 each receive zero scores.

Intake Name	Water Body Type	Flow	People Served
_____	_____	_____ cfs	_____
_____	_____	_____ cfs	_____
_____	_____	_____ cfs	_____

- PRIMARY TARGET POPULATION:** If you suspect any drinking water intake listed above has been exposed to a hazardous substance from the site (see Surface Water Pathway Criteria List, page 11), list the intake name(s) and calculate the factor score based on the total population served.

\_\_\_\_\_ people  $\times$  10 = \_\_\_\_\_

- SECONDARY TARGET POPULATION:** Determine the number of people served by drinking water intakes that you do NOT suspect have been exposed to a hazardous substance from the site, and assign the total population score from PA Table 3.

Are any intakes part of a blended system? Yes ☐ No ☒  
If yes, attach a page to show apportionment calculations.

- NEAREST INTAKE:** If you have identified a primary target population for the drinking water threat (factor 4), assign a score of 50; otherwise, assign the Nearest Intake score from PA Table 3. If no drinking water intake exists within the target distance limit, assign a score of zero.

- RESOURCES**

	0
10, 20, 10, 2, 1 = 0	10, 10, 2, 1 = 0
	0
10 = 0	10 = 0
	5
	5

T =

NJDEPE H2O Divis.

NJDEPE H2O Division

**PA TABLE 3: VALUES FOR SECONDARY SURFACE WATER TARGET POPULATIONS**

Surface Water Body Flow (see PA Table 4)	Population	Nearest Intake (choose highest)	Population Served by Intakes Within Flow Category											Population Value
			1 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	300,001 to 1,000,000	Greater than 1,000,000	
< 10 cfs	_____	20	2	5	16	52	163	521	1,633	5,214	16,325	52,136	163,246	_____
10 to 100 cfs	_____	2	1	1	2	5	16	52	163	521	1,633	5,214	16,325	_____
> 100 to 1,000 cfs	_____	1	0	0	1	1	2	5	16	52	163	521	1,633	_____
> 1,000 to 10,000 cfs	_____	0	0	0	0	0	1	1	2	5	16	52	163	_____
> 10,000 cfs or Great Lakes	_____	0	0	0	0	0	0	0	1	1	2	5	16	_____
3-mile Mixing Zone	_____	10	1	3	8	26	82	261	816	2,607	8,162	26,068	81,663	_____
Nearest Intake = _____			Score = _____											

**PA TABLE 4: SURFACE WATER TYPE / FLOW CHARACTERISTICS  
WITH DILUTION WEIGHTS FOR SECONDARY SURFACE WATER SENSITIVE ENVIRONMENTS**

Type of Surface Water Body		Dilution Weight
Water Body Type	OR Flow	
minimal stream	< 10 cfs	1
small to moderate stream	10 to 100 cfs	0.1
moderate to large stream	> 100 to 1,000 cfs	N/A
large stream to river	> 1,000 to 10,000 cfs	N/A
large river	> 10,000 cfs	N/A
3-mile mixing zone of quiet flowing streams or rivers	10 cfs or greater	N/A
coastal tidal water (harbors, sounds, bays, etc.), ocean, or Great Lakes	N/A	N/A

## SURFACE WATER PATHWAY HUMAN FOOD CHAIN THREAT SCORESHEET

### Likelihood of Release (LR)

LR is the same for all surface water pathway threats. Enter LR score from page 12.

### Human Food Chain Threat Targets (T)

8. The only human food chain targets are fisheries. A fishery is an area of a surface water body from which food chain organisms are taken or could be taken for human consumption on a subsistence, sporting, or commercial basis. Food chain organisms include fish, shellfish, crustaceans, amphibians, and amphibious reptiles. Fisheries are delineated by changes in surface water body type (i.e., streams and rivers, lakes, coastal tidal waters, and oceans/Great Lakes) and whenever the flow characteristics of a stream or river change.

In the space provided, identify all fisheries within the target distance limit. Indicate the surface water body type and flow for each fishery. Gauging station flow data are available for many surface water bodies from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that, if there are no fisheries within the target distance limit, the Human Food Chain Threat Targets score is zero.

9. **Primary fisheries** are any fisheries within the target distance limit that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. If you identify any primary fisheries, list them in the space provided, enter 300 as the Primary Fisheries factor score, and do not evaluate Secondary Fisheries. Note that if you do not suspect a release, there can be no primary fisheries.

10. **Secondary fisheries** are fisheries that you do not suspect have been exposed to a hazardous substance. Evaluate this factor only if fisheries are present within the target distance limit, but none is considered a primary fishery.

A. If you suspect a release to surface water and have identified a secondary fishery but no primary fishery, assign a score of 210.

B. If you do not suspect a release, evaluate this factor based on flow. In the absence of gauging station flow data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). Assign a Secondary Fisheries score from the table on the scoresheet using the lowest flow at any fishery within the target distance limit. (Dilution weight multiplier does not apply to PA evaluation of this factor.)

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).



**SURFACE WATER PATHWAY (continued)**  
**HUMAN FOOD CHAIN THREAT SCORESHEET**

**LIKELIHOOD OF RELEASE**

Enter Surface Water Likelihood of Release score from page 12.

LR =

A	B
Suspected Release	No Suspected Release
(500)	(500, 400, 300 or 100)
	400

References

**HUMAN FOOD CHAIN THREAT TARGETS**

8. Record the water body type and flow (if applicable) for each fishery within the target distance limit. If there is no fishery within the target distance limit, assign a Targets score of 0 at the bottom of the page.

Fishery Name	Water Body Type	Flow
Saddle River	River	119 cfs
		cfs
		cfs
		cfs
		cfs

9. PRIMARY FISHERIES: If you suspect any fishery listed above has been exposed to a hazardous substance from the site (see Surface Water Criteria List, page 11), assign a score of 300 and do not evaluate Factor 10. List the primary fisheries:

**10. SECONDARY FISHERIES**

- A. If you suspect a release to surface water and have identified a secondary fishery but no primary fishery, assign a score of 210.

- B. If you do not suspect a release, assign a Secondary Fisheries score from the table below using the lowest flow at any fishery within the target distance limit.

Lowest Flow	Secondary Fisheries Score
< 10 cfs	210
10 to 100 cfs	30
> 100 cfs, coastal tidal waters, oceans, or Great Lakes	12

T =

(300)	
(210)	
	(210, 30, or 12)
	12
(210, 30, or 12)	(210, 30, or 12)
	12

USGS H2O Res. Data  
N.J. 1990

## SURFACE WATER PATHWAY ENVIRONMENTAL THREAT SCORESHEET

### Likelihood of Release (LR)

LR is the same for all surface water pathway threats. Enter LR score from page 12.

### Environmental Threat Targets (T)

11. PA Table 5 (page 16) lists sensitive environments for the Surface Water Pathway Environmental Threat. In the space provided, identify all sensitive environments located within the target distance limit. Indicate the surface water body type and flow at each sensitive environment. Gauging station flow data for many surface water bodies are available from USGS or other sources. In the absence of gauging station data, estimate flow using the list of surface water body types and associated flow categories in PA Table 4 (page 13). The flow for lakes is determined by the sum of flows of streams entering or leaving the lake. Note that if there are no sensitive environments within the target distance limit, the Environmental Threat Targets score is zero.

12. **Primary sensitive environments** are surface water sensitive environments within the target distance limit that you suspect have been exposed to a hazardous substance released from the site. Use professional judgment guided by the Surface Water Pathway Criteria List (page 11) to make this determination. If you identify any primary sensitive environments, list them in the space provided, enter 300 as the Primary Sensitive Environments factor score, and do not evaluate Secondary Sensitive Environments. Note that if you do not suspect a release, there can be no primary sensitive environments.

13. **Secondary sensitive environments** are surface water sensitive environments that you do not suspect have been exposed to a hazardous substance. Evaluate this factor only if surface water sensitive environments are present within the target distance limit, but none is considered a primary sensitive environment. Evaluate secondary sensitive environments based on flow.

- In the table provided, list all secondary sensitive environments on surface water bodies with flow of 100 cfs or less.

- 1) Use PA Table 4 (page 13) to determine the appropriate dilution weight for each.
  - 2) Use PA Tables 5 and 6 (page 16) to determine the appropriate value for each sensitive environment type and for wetlands frontage.
  - 3) For a sensitive environment that falls into more than one of the categories in PA Table 5, sum the values for each type to determine the environment value (e.g., a wetland with 1.5 miles frontage (value of 50) that is also a critical habitat for a Federally designated endangered species (value of 100) would receive a total value of 150).
  - 4) For each sensitive environment, multiply the dilution weight by the environment type (or length of wetlands) value and record the product in the far-right column.
  - 5) Sum the values in the far-right column and enter the total as the Secondary Sensitive Environments score. Do not evaluate part B of this factor.
- If all secondary sensitive environments are on surface water bodies with flows greater than 100 cfs, assign 10 as the Secondary Sensitive Environments score.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

**SURFACE WATER PATHWAY (continued)  
ENVIRONMENTAL THREAT SCORESHEET**

**LIKELIHOOD OF RELEASE**

Enter Surface Water Likelihood of Release score from page 12.

LR =

		A	B	References
		Suspected Release (500)	No Suspected Release (500, 400, 300 = 100)	
			400	

**ENVIRONMENTAL THREAT TARGETS**

11. Record the water body type and flow (if applicable) for each surface water sensitive environment within the target distance limit (see PA Tables 4 and 5). If there is no sensitive environment within the target distance limit, assign a Targets score of 0 at the bottom of the page.

Environment Name	Water Body Type	Flow
		cfs
		cfs
		cfs
		cfs
		cfs

12. **PRIMARY SENSITIVE ENVIRONMENTS:** If you suspect any sensitive environment listed above has been exposed to a hazardous substance from the site (see Surface Water Criteria List, page 11), assign a score of 300 and do not evaluate factor 13. List the primary sensitive environments:
- \_\_\_\_\_
- \_\_\_\_\_

13. **SECONDARY SENSITIVE ENVIRONMENTS:** If sensitive environments are present, but none is a primary sensitive environment, evaluate Secondary Sensitive Environments based on flow.

- A. For secondary sensitive environments on surface water bodies with flows of 100 cfs or less, assign scores as follows, and do not evaluate part B of this factor:

Flow	Dilution Weight (PA Table 4)	Environment Type and Value (PA Tables 5 and 6)	Total
cfs	x	=	
cfs	x	=	
cfs	x	=	
cfs	x	=	
cfs	x	=	

Sum =

- B. If all secondary sensitive environments are located on surface water bodies with flows > 100 cfs, assign a score of 10.

T =

(10)	(10)
	0

PA TABLE 5: SURFACE WATER AND AIR PATHWAY SENSITIVE ENVIRONMENTS VALUES

<i>Sensitive Environment</i>	<i>Assigned Value</i>
Critical habitat for Federally designated endangered or threatened species	100
Marine Sanctuary	
National Park	
Designated Federal Wilderness Area	
Ecologically important areas identified under the Coastal Zone Wilderness Act	
Sensitive Areas identified under the National Estuary Program or Near Coastal Water Program of the Clean Water Act	
Critical Areas Identified under the Clean Lakes Program of the Clean Water Act (subareas in lakes or entire small lakes)	
National Monument (air pathway only)	
National Seashore Recreation Area	
National Lakeshore Recreation Area	
Habitat known to be used by Federally designated or proposed endangered or threatened species	75
National Preserve	
National or State Wildlife Refuge	
Unit of Coastal Barrier Resources System	
Federal land designated for the protection of natural ecosystems	
Administratively Proposed Federal Wilderness Area	
Spawning areas critical for the maintenance of fish/shellfish species within a river system, bay, or estuary	
Migratory pathways and feeding areas critical for the maintenance of anadromous fish species in a river system	
Terrestrial areas utilized for breeding by large or dense aggregations of vertebrate animals (air pathway) or semi-aquatic foragers (surface water pathway)	
National river reach designated as Recreational	
Habitat known to be used by State designated endangered or threatened species	50
Habitat known to be used by a species under review as to its Federal endangered or threatened status	
Coastal Barrier (partially developed)	
Federally designated Scenic or Wild River	
State land designated for wildlife or game management	25
State designated Scenic or Wild River	
State designated Natural Area	
Particular areas, relatively small in size, important to maintenance of unique biotic communities	
State designated areas for protection/maintenance of aquatic life under the Clean Water Act	5
Wetlands	See PA Table 6 (Surface Water Pathway) or PA Table 9 (Air Pathway)

PA TABLE 6: SURFACE WATER PATHWAY  
WETLANDS FRONTAGE VALUES

<i>Total Length of Wetlands</i>	<i>Assigned Value</i>
Less than 0.1 mile	0
0.1 to 1 mile	25
Greater than 1 to 2 miles	50
Greater than 2 to 3 miles	75
Greater than 3 to 4 miles	100
Greater than 4 to 8 miles	150
Greater than 8 to 12 miles	250
Greater than 12 to 16 miles	350
Greater than 16 to 20 miles	450
Greater than 20 miles	500

## **SURFACE WATER PATHWAY WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORES**

### **Waste Characteristics (WC)**

14. **Waste Characteristics:** Score is assigned from page 4. However, if a primary target has been identified for any surface water threat, assign either the score calculated on page 4 or a score of 32, whichever is greater.

### **Surface Water Pathway Threat Scores**

Fill in the matrix with the appropriate scores from the previous pages. To calculate the score for each threat: multiply the scores for LR, T, and WC; divide the product by 82,500; and round the result to the nearest integer. The Drinking Water Threat and Human Food Chain Threat are each subject to a maximum of 100. The Environmental Threat is subject to a maximum of 60. Enter the rounded threat scores in the far-right column.

### **Surface Water Pathway Score**

Sum the individual threat scores to determine the Surface Water Pathway Score. If the sum is greater than 100, assign 100.

**SURFACE WATER PATHWAY (concluded)  
WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY**

WASTE CHARACTERISTICS	A	B
	<i>Suspected Release</i>	<i>No Suspected Release</i>
14. A. If you have identified any primary target for surface water (pages 12, 14, or 15), assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.	(100 or 32)	
B. If you have NOT identified any primary target for surface water, assign the waste characteristics score calculated on page 4.	(100, 32, or 18)	(100, 32, or 18) <b>32</b>
<b>WC =</b>		<b>32</b>

**SURFACE WATER PATHWAY THREAT SCORES**

Threat	<i>Likelihood of Release (LR) Score</i> (from page 12)	<i>Targets (T) Score</i> (pages 12, 14, 15)	<i>Pathway Waste Characteristics (WC) Score</i> (determined above)	<i>Threat Score</i> $LR \times T \times WC$ / 82,500
Drinking Water	400	5	32	(subject to a maximum of 100) <b>0.78</b>
Human Food Chain	400	12	32	(subject to a maximum of 100) <b>1.86</b>
Environmental	400	0	32	(subject to a maximum of 100) <b>0</b>

**SURFACE WATER PATHWAY SCORE**  
(Drinking Water Threat + Human Food Chain Threat + Environmental Threat)

**0.78 + 1.86 + 0**

(subject to a maximum of 100)  
**2.64**

## SOIL EXPOSURE PATHWAY CRITERIA LIST

Areas of surficial contamination can generally be assumed. This "Criteria List" helps guide the process of developing a hypothesis concerning the exposure of specific targets to a hazardous substance at the site. Use the "Resident Population" section to evaluate site and source conditions that may help identify targets likely to be exposed to a hazardous substance. The check-boxes record your professional judgment. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypothesis, list them at the bottom of the page or attach an additional page.

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question.

SOIL EXPOSURE PATHWAY CRITERIA LIST	
SUSPECTED CONTAMINATION	RESIDENT POPULATION
<p>Surficial contamination can generally be assumed.</p>	<p>Y N U e o n s k</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is any residence, school, or daycare facility on or within 200 feet of an area of suspected contamination?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is any residence, school, or daycare facility located on adjacent land previously owned or leased by the site owner/operator?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Is there a migration route that might spread hazardous substances near residences, schools, or daycare facilities?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Have onsite or adjacent residents or students reported adverse health effects, exclusive of apparent drinking water or air contamination problems?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Does any neighboring property warrant sampling?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? _____</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> RESIDENT POPULATION IDENTIFIED?</p>
<p>Summarize the rationale for Resident Population (attach an additional page if necessary):</p> <p>A resident population is not identified. There are no homes, schools, or daycare facilities within 200 feet of the site. Aetna Chemical is situated in an industrial park. It is an active site with workers present. Estimate 30 workers at the site. There are no terrestrial sensitive areas within 1 mile of the site.</p>	



## SOIL EXPOSURE PATHWAY SCORESHEET

### Pathway Characteristics

Answer the questions at the top of the page. Identify people who may be exposed to a hazardous substance because they work at the facility, or reside or attend school or daycare on or within 200 feet of an area of suspected contamination. If the site is active, estimate the number of full and part-time workers. Note that evaluation of targets is based on current site conditions.

### Likelihood of Exposure (LE)

**1. Suspected Contamination:** Areas of surficial contamination are present at most sites, and a score of 550 can generally be assigned as a default measure. Assign zero, which effectively eliminates the pathway from further consideration, only if there is no surficial contamination; reliable analytical data are generally necessary to make this determination.

### Resident Population Threat Targets (T)

**2. Resident Population** corresponds to "primary targets" for the migration pathways. Use professional judgment guided by the Soil Exposure Pathway Criteria List (page 18) to determine if there are people living or attending school or daycare on or within 200 feet of areas of suspected contamination. Record the number of people identified as resident population and multiply by 10 to determine the Resident Population factor score.

**3. Resident Individual:** Assign 50 if you have identified a resident population; otherwise, assign zero.

**4. Workers:** Estimate the number of full and part-time workers at this facility and adjacent facilities where contamination is also suspected. Assign a score for the Workers factor from the table.

**5. Terrestrial Sensitive Environments:** In the table provided, list each terrestrial sensitive environment located on an area of suspected contamination. Use PA Table 7 (page 20) to assign a value for each. Sum the values and assign the total as the factor score.

**6. Resources:** A score of 5 can generally be assigned as a default measure. Assign zero only if there is no land resource use on an area of suspected contamination.

Sum the target scores.

### Waste Characteristics (WC)

7. Enter the WC score determined on page 4.

**Resident Population Threat Score:** Multiply the scores for LE, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

**Nearby Population Threat Score:** Do not evaluate this threat if you gave a zero score to Likelihood of Exposure. Otherwise, assign a score based on the population within a 1-mile radius (use the same 1-mile radius population you evaluate for air pathway population targets):

<u>Population Within One Mile</u>	<u>Nearby Population Threat Score</u>
< 10,000	1
10,000 to 50,000	2
> 50,000	4

**Soil Exposure Pathway Score:** Sum the Resident Population Threat score and the Nearby Population Threat score, subject to a maximum of 100.

## SOIL EXPOSURE PATHWAY SCORESHEET

Pathway Characteristics	
Do any people live on or within 200 ft of areas of suspected contamination?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Do any people attend school or daycare on or within 200 ft of areas of suspected contamination?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Is the facility active? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, estimate the number of workers: <u>30</u>	

## LIKELIHOOD OF EXPOSURE

1. SUSPECTED CONTAMINATION: Surficial contamination can generally be assumed, and a score of 550 assigned. Assign zero only if the absence of surficial contamination can be confidently demonstrated.

LE =

550

Suspected  
Contamination  
(550 = 0)

References

## RESIDENT POPULATION THREAT TARGETS

2. RESIDENT POPULATION: Determine the number of people occupying residences or attending school or daycare on or within 200 feet of areas of suspected contamination (see Soil Exposure Pathway Criteria List, page 18).

0 people x 10 =

0

3. RESIDENT INDIVIDUAL: If you have identified a resident population (factor 2), assign a score of 50; otherwise, assign a score of 0.

0

4. WORKERS: Use the following table to assign a score based on the total number of workers at the facility and nearby facilities with suspected contamination:

Number of Workers	Score
0	0
1 to 100	5
101 to 1,000	10
> 1,000	15

5

5. TERRESTRIAL SENSITIVE ENVIRONMENTS: Use PA Table 7 to assign a value for each terrestrial sensitive environment on an area of suspected contamination:

Terrestrial Sensitive Environment Type	Value

Sum =

0

6. RESOURCES

5

T =

10

## WASTE CHARACTERISTICS

7. Assign the waste characteristics score calculated on page 4.

WC =

32

(100, 32, or 10)

## RESIDENT POPULATION THREAT SCORE:

$$\frac{550 \times 10 \times 32}{82500}$$

$$\frac{LE \times T \times WC}{82,500}$$

(Indicates a maximum of 100)

2.13

## NEARBY POPULATION THREAT SCORE:

(1, 2, or 1)

1

## SOIL EXPOSURE PATHWAY SCORE:

Resident Population Threat + Nearby Population Threat

$$2.13 + 1 = 3.13$$

(Indicates a maximum of 100)

3.13

**PA TABLE 7: SOIL EXPOSURE PATHWAY  
TERRESTRIAL SENSITIVE ENVIRONMENT VALUES**

<i>Terrestrial Sensitive Environment</i>	<i>Assigned Value</i>
Terrestrial critical habitat for Federally designated endangered or threatened species	100
National Park	
Designated Federal Wilderness Area	
National Monument	
Terrestrial habitat known to be used by Federally designated or proposed threatened or endangered species	75
National Preserve (terrestrial)	
National or State terrestrial Wildlife Refuge	
Federal land designated for protection of natural ecosystems	
Administratively proposed Federal Wilderness Area	
Terrestrial areas utilized by large or dense aggregations of animals (vertebrate species) for breeding	
Terrestrial habitat used by State designated endangered or threatened species	50
Terrestrial habitat used by species under review for Federal designated endangered or threatened status	
State lands designated for wildlife or game management	25
State designated Natural Areas	
Particular areas, relatively small in size, important to maintenance of unique biotic communities	

## AIR PATHWAY CRITERIA LIST

This "Criteria List" helps guide the process of developing a hypothesis as to whether a release to the air is likely to be detected. The check-boxes record your professional judgment. Answers to all of the listed questions may not be available during the PA. Also, the list is not all-inclusive; if other criteria help shape your hypothesis, list them at the bottom of the page or attach an additional page.

The "Suspected Release" section identifies several conditions that could provide insight as to whether a release from the site is likely to be detected. If a release is suspected, primary targets are any residents, workers, students, and sensitive environments on or within  $\frac{1}{4}$  mile of the site.

Check the boxes to indicate a "yes," "no," or "unknown" answer to each question. If you check the "Suspected Release" box as "yes," make sure you assign a Likelihood of Release value of 550 for the pathway.

AIR PATHWAY CRITERIA LIST	
SUSPECTED RELEASE	PRIMARY TARGETS
<p>Y N U e o n s k</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Are odors currently reported?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Has release of a hazardous substance to the air been directly observed?</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Are there reports of adverse health effects (e.g., headaches, nausea, dizziness) potentially resulting from migration of hazardous substances through the air?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Does analytical or circumstantial evidence suggest a release to the air?</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/> Other criteria? <u>OVA readings</u></p> <p><input checked="" type="checkbox"/> <b>SUSPECTED RELEASE?</b></p>	<p>If you suspect a release to air, evaluate all populations and sensitive environments within 1/4 mile (including those onsite) as primary targets.</p>
<p>Summarize the rationale for Suspected Release (attach an additional page if necessary):</p> <p>In Feb. 1990, soil gas readings above background were noted on the Organic Vapor Analyzer as calibrated to methane. Highest readings occurred around the aboveground tanks. They ranged from 55ppm to greater than 1000ppm. Ambient air was 8ppm.</p>	

## AIR PATHWAY SCORESHEET

### Pathway Characteristics

Answer the questions at the top of the page. Refer to the Air Pathway Criteria List (page 21) to hypothesize whether you suspect that a hazardous substance release to the air could be detected. Due to dispersion, releases to air are not as persistent as releases to water migration pathways and are much more difficult to detect. Develop your hypothesis concerning the release of hazardous substances to air based on "real time" considerations. Record the distance (in feet) from any source to the nearest regularly occupied building.

### Likelihood of Release (LR)

**1. Suspected Release:** Hypothesize based on professional judgment guided by the Air Pathway Criteria List (page 21). If you suspect a release to air, use only Column A for this pathway and do not evaluate factor 2.

**2. No Suspected Release:** If you do not suspect a release, enter 500 and use only Column B for this pathway.

### Targets (T)

**3. Primary Target Population:** Evaluate populations subject to exposure from release of a hazardous substance from the site. If you suspect a release, the resident, student, and worker populations on and within  $\frac{1}{4}$  mile of the site are considered primary target population. If only the number of residences is known, use the average county residents per household (rounded up to the next integer) to determine the population. In the space provided, enter this population. Multiply the population by 10 to determine the Primary Target Population score. Note that if you do not suspect a release, there can be no primary target population.

**4. Secondary Target Population:** Evaluate populations in distance categories not suspected to be subject to exposure from release of a hazardous substance from the site. If you suspect a release, residents, students, and workers in the  $\frac{1}{4}$ - to 4-mile distance categories are secondary target population. If you do not suspect a release, all residents, students, and workers onsite and within 4 miles are considered secondary target population.

Use PA Table 8 (page 23). Enter the population in each secondary target population distance category, circle the assigned value, and record it on the far-right side of the table. Sum the far-right column and enter the total as the Secondary Target Population factor score.

**5. Nearest Individual** represents the threat posed to the person most likely to be exposed to a hazardous substance release from the site. If you have identified a primary target population, enter 50. Otherwise, assign the score from PA Table 8 (page 23) for the closest distance category in which you have identified a secondary target population.

**6. Primary Sensitive Environments:** If a release is suspected, all sensitive environments on or within  $\frac{1}{4}$  mile of the site are considered primary targets. List them and assign values for sensitive environment type (from PA Table 5, page 16) and/or wetland acreage (from PA Table 9, page 23). Sum the values and enter the total as the factor score.

**7. Secondary Sensitive Environments:** If a release is suspected, sensitive environments in the  $\frac{1}{4}$ - to  $\frac{1}{2}$ -mile distance category are secondary targets; greater distances need not be evaluated because distance weighting greatly diminishes the impact on site score. If you do not suspect a release, all sensitive environments on and within  $\frac{1}{2}$  mile of the site are considered secondary targets. List each secondary sensitive environment on PA Table 10 (page 23) and assign a value to each using PA Tables 5 and 9. Multiply each value by the indicated distance weight and record the product in the far-right column. Sum the products and enter the total as the factor score.

**8. Resources:** A score of 5 can generally be assigned as a default measure. Assign zero only if there is no land resource use within  $\frac{1}{2}$  mile.

Sum the target scores in Column A (Suspected Release) or Column B (No Suspected Release).

### Waste Characteristics (WC)

**9. Waste Characteristics:** Score is assigned from page 4. However, if you have identified any primary target for the air pathway, assign either the score calculated on page 4 or a score of 32, whichever is greater.

**Air Pathway Score:** Multiply the scores for LR, T, and WC. Divide the product by 82,500. Round the result to the nearest integer. If the result is greater than 100, assign 100.

## AIR PATHWAY SCORESHEET

Pathway Characteristics	
Do you suspect a release (see Air Pathway Criteria List, page 21)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Distance to the nearest individual:	0 ft

## LIKELIHOOD OF RELEASE

- SUSPECTED RELEASE:** If you suspect a release to air (see page 21), assign a score of 550. Use only column A for this pathway.
- NO SUSPECTED RELEASE:** If you do not suspect a release to air, assign a score of 500. Use only column B for this pathway.

	A	B	References
	Suspected Release (550)	No Suspected Release (500)	
LR =	550		

## TARGETS

- PRIMARY TARGET POPULATION:** Determine the number of people subject to exposure from a suspected release of hazardous substances to the air.  
485 people x 10 =
- SECONDARY TARGET POPULATION:** Determine the number of people not suspected to be exposed to a release to air, and assign the total population score using PA Table 8.
- NEAREST INDIVIDUAL:** If you have identified any Primary Target Population for the air pathway, assign a score of 50; otherwise, assign the Nearest Individual score from PA Table 8.
- PRIMARY SENSITIVE ENVIRONMENTS:** Sum the sensitive environment values (PA Table 5) and wetland acreage values (PA Table 9) for environments subject to exposure from a suspected release to the air.

Sensitive Environment Type	Value

Sum =

- SECONDARY SENSITIVE ENVIRONMENTS:** Use PA Table 10 to determine the score for secondary sensitive environments.
- RESOURCES**

T =

	A	B
	4850	
	1129	
	50	
	0	
	0	
	5	
T =	5034	

## WASTE CHARACTERISTICS

- A.** If you have identified any Primary Target for the air pathway, assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.
- B.** If you have NOT identified any Primary Target for the air pathway, assign the waste characteristics score calculated on page 4.

WC =

	A	B
	32	
WC =	32	

## AIR PATHWAY SCORE:

$$\frac{LR \times T \times WC}{82,500}$$

$$\frac{550 \times 5034 \times 32}{82500}$$

(Subject to a maximum of 100)
100

PA TABLE 8: VALUES FOR SECONDARY AIR TARGET POPULATIONS

Distance from Site	Population	Nearest Individual (choose highest)	Population Within Distance Category													Population Value
			1	11	31	101	301	1,001	3,001	10,001	30,001	100,001	300,001	Greater than		
			to 10	to 30	to 100	to 300	to 1,000	to 3,000	to 10,000	to 30,000	to 100,000	to 300,000	to 1,000,000	1,000,000		
Onsite	<u>30</u>	20	1	②	5	16	52	163	521	1,633	5,214	16,325	52,136	163,246	<u>2</u>	
>0 to ¼ mile	<u>455</u>	20	1	1	1	4	⑬	41	130	408	1,303	4,081	13,034	40,811	<u>13</u>	
> ¼ to ½ mile	<u>0</u>	2	0	0	1	1	3	9	28	88	282	882	2,815	8,815	<u>—</u>	
> ½ to 1 mile	<u>16406</u>	1	0	0	0	1	1	3	8	②⑧	83	261	834	2,612	<u>26</u>	
> 1 to 2 miles	<u>74267</u>	0	0	0	0	0	1	1	3	8	②7	83	266	833	<u>27</u>	
> 2 to 3 miles	<u>170826</u>	0	0	0	0	0	1	1	1	4	12	③⑧	120	376	<u>38</u>	
> 3 to 4 miles	<u>165775</u>	0	0	0	0	0	0	1	1	2	7	②3	73	229	<u>23</u>	
Nearest Individual =			Score =													<u>129</u>

PA TABLE 9: AIR PATHWAY VALUES FOR WETLAND AREA

Wetland Area	Assigned Value
Less than 1 acre	0
1 to 50 acres	25
Greater than 50 to 100 acres	75
Greater than 100 to 150 acres	125
Greater than 150 to 200 acres	175
Greater than 200 to 300 acres	250
Greater than 300 to 400 acres	350
Greater than 400 to 500 acres	450
Greater than 500 acres	500

PA TABLE 10: DISTANCE WEIGHTS AND CALCULATIONS FOR AIR PATHWAY SECONDARY SENSITIVE ENVIRONMENTS

	Distance	Sensitive Environment Type and Value		
Distance	Weight	(from PA Table 5 or 9)		Product
Onsite	0.10	x		
		x		
0-1/4 mi	0.025	x		
		x		
		x		
1/4-1/2mi	0.0054	x		
		x		
		x		
		x		
Total Environments Score =				



## SITE SCORE CALCULATION

In the column labeled S, record the Ground Water Pathway score, the Surface Water Pathway score, the Soil Exposure Pathway score, and the Air Pathway score. Square each pathway score and record the result in the S<sup>2</sup> column. Sum the squared pathway scores. Divide the sum by 4, and take the square root of the result to obtain the Site Score.

## SUMMARY

Answer the summary questions, which ask for a qualitative evaluation of the relative risk of targets being exposed to a hazardous substance from the site. You may find your responses to these questions a good cross-check against the way you scored the individual pathways. For example, if you scored the ground water pathway on the basis of no suspected release and secondary targets only, yet your response to question #1 is "yes," this presents apparently conflicting conclusions that you need to reconsider and resolve. Your answers to the questions on page 24 should be consistent with your evaluations elsewhere in the PA scoresheets package.

## SITE SCORE CALCULATION

	S	S <sup>2</sup>
GROUND WATER PATHWAY SCORE (S <sub>gw</sub> ):	100 ✓	10,000
SURFACE WATER PATHWAY SCORE (S <sub>sw</sub> ):	2.64 ✓	6.97
SOIL EXPOSURE PATHWAY SCORE (S <sub>s</sub> ):	3.13 ✓	9.73
AIR PATHWAY SCORE (S <sub>a</sub> ):	100 ✓	10,000
SITE SCORE:	$\sqrt{\frac{S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2}{4}}$	70.74 ✓

## SUMMARY

	YES	NO
1. Is there a high possibility of a threat to any nearby drinking water well(s) by migration of a hazardous substance in ground water?  A. If yes, identify the well(s). <u>4 private water supply wells to north+northwest</u>  B. If yes, how many people are served by the threatened well(s)? <u>15</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Is there a high possibility of a threat to any of the following by hazardous substance migration in surface water?  A. Drinking water intake B. Fishery C. Sensitive environment (wetland, critical habitat, others) D. If yes, identify the target(s). <u>Saddle River</u>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
3. Is there a high possibility of an area of surficial contamination within 200 feet of any residence, school, or daycare facility?  If yes, identify the property(ies) and estimate the associated population(s).	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Are there public health concerns at this site that are not addressed by PA scoring considerations? If yes, explain:	<input type="checkbox"/>	<input checked="" type="checkbox"/>